

American Sewer Pipe Company


PITTSBURG, PA.



OFFICIAL PRICE LIST

ADOPTED

MAY 1st, 1906



FACTORY N° 25

LARGEST SEWER PIPE FACTORY

BARBERTON OHIO

IN THE WORLD

SEWER PIPE

PAVING BRICK

CONDUITS

CULVERT PIPE



**AKRON STANDARD
OHIO RIVER VITRIFIED
GRANITE**

GRANITE SEWER PIPE

STANDARD AKRON SEWER PIPE

OHIO RIVER

FIRE CLAY SEWER PIPE

PRICE LIST F

Superseding all other Lists

PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

ADOPTED BY THE EASTERN MANUFACTURERS, MAY 1, 1906

Calibre of Pipe	Price per Foot	Elbow3 and Curves each	Slants 1 ft. or less per ft. long side	Increases and Reducers each	R. P. S. and Single H. H. Traps each	Double H. H. Traps each	Two Piece Traps	Well Traps each	Grease Traps with bottom and cover each	Channel Pipe per ft.
2 in.	\$ 16	\$ 50	\$ 48	\$ 64	\$ 1 50	\$ 1 90	\$ 1 90	\$ 1 90		\$ 09½
3 "	16	50	60	80	1 50	1 90	2 40			12
4 "	20	65			2 00	2 50				
5 "	25	85	75	1 00	2 50	3 13	3 00			15
6 "	30	1 10	90	1 20	3 50	4 25	3 60	\$ 2 00		18
8 "	50	2 00	1 50	2 00	6 60	7 75	6 00	3 30	\$ 6 00	30
9 "	60	2 40	1 80	2 40	7 50	9 00	6 60	3 90	6 75	36
10 "	75	3 00	2 25	3 00	9 00	11 00	7 80	4 70	7 50	45
12 "	1 00	4 00	3 00	4 00	15 00	16 50	12 75	6 00	10 00	60
15 "	1 35	5 40	4 05	5 40					15 00	81
18 "	1 70	6 80	5 10	6 80					20 00	1 02
20 "	2 25	9 00	6 75	9 00						1 35
21 "	2 50	10 00	7 50	10 00						1 50
22 "	2 75	11 00	8 25	11 00						1 65
24 "	3 25	13 00	9 75	13 00						1 95
27 "	4 25	20 00	12 75	17 00						2 55
30 "	5 50	27 50	16 50	22 00						3 30
33 "	6 25	30 00	18 75	25 00						3 75
36 "	7 00	32 50	21 00	28 00						4 20

PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE—Continued BRANCHES

Calibre of Pipe	1 or 2 ft. long with Inlets up to and including 12 inches each	2½ feet long with Inlets up to and including 12 inches each	2½ feet long with Inlets 15 inches or larger, each	Double 2 ft. long with In- lets up to and including 12 inches each	Double 2½ feet long with Inlets up to and including 12 inches, each	Double 2½ feet long with Inlets 15 inches or larger, each	Stoppers or Plugs, each	Flat Strainers each	Per- forated Pipe per ft.
2 in.	\$0 72	\$ 1 04		\$ 1 12	\$ 1 44		\$ 0 05½	\$ 0 10 ² / ₃	\$ 0 32
3 "	72	1 04		1 12	1 44		05½	10 ² / ₃	32
4 "	90	1 30		1 40	1 80		06 ² / ₃	13½	40
5 "	1 13	1 63		1 76	2 26		08½	16 ² / ₃	50
6 "	1 35	1 95		2 10	2 70		10	20	60
8 "	2 25	3 25		3 50	4 50		16 ² / ₃	33½	1 00
9 "	2 70	3 90		4 20	5 40		20	40	1 20
10 "	3 40	4 90		5 30	6 80		25	50	1 50
12 "	4 50	6 50		7 00	9 00		33½	66 ² / ₃	2 00
15 "	6 10	8 80		9 50	12 20		45	90	2 70
18 "	7 65	11 05	\$11 85	11 90	15 30	\$18 30			3 40
20 "	10 13	14 63	14 88	15 76	20 26	22 96			4 50
21 "	11 25	16 25	19 70	17 50	22 50	30 40			5 00
22 "	12 38	17 88	21 88	19 26	24 76	33 76			5 50
24 "	14 63	21 13	24 07	22 76	29 26	37 14			6 50
27 "		21 25	28 45		31 88	43 90			8 50
30 "		27 50	31 88		41 25	53 14			11 00
33 "		31 25	41 25		46 88	68 75			12 50
36 "		35 00	46 88		52 50	78 14			14 00
			52 50			87 50			

Increases shall have sockets on small end. Reducers socket on large end. No slant to be charged at less than one foot. Excess over one foot at proportionate rate. Discounts governing price of 2 inch to 24 inch will not apply on sizes 27 inch to 36 inch. Branches with inlets 15 inch and larger that cannot be made on main pipe in 2 foot lengths will be furnished in 2½ foot lengths or longer. Branches 2 feet long with inlets 15 inch or larger, take List Price of Branches 2½ feet long, deducting price of 2 feet of pipe same size. **Every shipment at the risk of the purchaser and no allowance for breakage.**

Approximate Weights, Dimensions, Etc.

STANDARD SEWER PIPE

Calibre	Thick- ness	Weight per foot	Depth of Socket	Annular Space	Price per foot
2 in.	$1\frac{7}{8}$ in.	5 lbs.	$1\frac{1}{2}$ in.	$\frac{1}{4}$ in.	\$0 16
3 "	$1\frac{1}{2}$ "	7 "	$1\frac{1}{2}$ "	$\frac{1}{4}$ "	16
4 "	$1\frac{1}{2}$ "	9 "	$1\frac{5}{8}$ "	$\frac{3}{8}$ "	20
5 "	$\frac{5}{8}$ "	12 "	$1\frac{3}{4}$ "	$\frac{3}{8}$ "	25
6 "	$\frac{5}{8}$ "	15 "	$1\frac{7}{8}$ "	$\frac{3}{8}$ "	30
8 "	$\frac{3}{4}$ "	23 "	2 "	$\frac{3}{8}$ "	50
9 "	$1\frac{3}{8}$ "	28 "	2 "	$\frac{3}{8}$ "	60
10 "	$\frac{7}{8}$ "	35 "	$2\frac{1}{8}$ "	$\frac{3}{8}$ "	75
12 "	1 "	43 "	$2\frac{1}{4}$ "	$\frac{1}{2}$ "	1 00
15 "	$1\frac{1}{8}$ "	60 "	$2\frac{1}{2}$ "	$\frac{1}{2}$ "	1 35
18 "	$1\frac{1}{4}$ "	85 "	$2\frac{3}{4}$ "	$\frac{1}{2}$ "	1 70
20 "	$1\frac{3}{8}$ "	100 "	3 "	$\frac{1}{2}$ "	2 25
21 "	$1\frac{1}{2}$ "	120 "	3 "	$\frac{1}{2}$ "	2 50
22 "	$1\frac{5}{8}$ "	130 "	3 "	$\frac{1}{2}$ "	2 75
24 "	$1\frac{5}{8}$ "	140 "	$3\frac{1}{4}$ "	$\frac{1}{2}$ "	3 25
27 "	2 "	224 "	4 "	$\frac{3}{4}$ "	4 25
30 "	$2\frac{1}{8}$ "	252 "	4 "	$\frac{3}{4}$ "	5 50
33 "	$2\frac{1}{4}$ "	310 "	5 "	$1\frac{1}{4}$ "	6 25
36 "	$2\frac{1}{2}$ "	350 "	5 "	$1\frac{1}{4}$ "	7 00

DOUBLE STRENGTH PIPE

Calibre	Thick- ness	Weight per foot	Depth of Socket	Annular Space	Price per Foot
15 in.	$1\frac{1}{4}$ in.	75 lbs.	$2\frac{1}{2}$ in.	$\frac{1}{2}$ in.	\$1 35
18 "	$1\frac{1}{2}$ "	118 "	$2\frac{3}{4}$ "	$\frac{1}{2}$ "	1 70
20 "	$1\frac{2}{3}$ "	138 "	3 "	$\frac{1}{2}$ "	2 25
21 "	$1\frac{3}{4}$ "	148 "	3 "	$\frac{1}{2}$ "	2 50
22 "	$1\frac{5}{8}$ "	157 "	3 "	$\frac{1}{2}$ "	2 75
24 "	2 "	190 "	$3\frac{1}{4}$ "	$\frac{1}{2}$ "	3 25
27 "	$2\frac{1}{4}$ "	265 "	4 "	$\frac{3}{4}$ "	4 25
30 "	$2\frac{1}{2}$ "	290 "	4 "	$\frac{3}{4}$ "	5 50
33 "	$2\frac{5}{8}$ "	335 "	5 "	$1\frac{1}{4}$ "	6 25
36 "	$2\frac{3}{4}$ "	375 "	5 "	$1\frac{1}{4}$ "	7 00

Discounts governing price 2 to 24 in. will not apply to 27 to 36 in.

DEEP AND WIDE SOCKETS, STANDARD

Calibre	Thick- ness	Weight per foot	Depth of Sockets	Annular Space	Price per Foot
4	$\frac{1}{2}$ in.	10 lbs.	2 in.	$\frac{1}{2}$ in.	\$0 20
5	$\frac{5}{8}$ "	12 "	$2\frac{1}{2}$ "	$\frac{5}{8}$ "	25
6	$\frac{5}{8}$ "	16 "	$2\frac{1}{2}$ "	$\frac{5}{8}$ "	30
8	$\frac{3}{4}$ "	25 "	$2\frac{3}{4}$ "	$\frac{5}{8}$ "	50
10	$\frac{7}{8}$ "	37 "	$2\frac{3}{4}$ "	$\frac{5}{8}$ "	75
12	1 "	45 "	3 "	$\frac{5}{8}$ "	1 00
15	$1\frac{1}{8}$ "	70 "	3 "	$\frac{5}{8}$ "	1 35
18	$1\frac{1}{4}$ "	90 "	$3\frac{1}{4}$ "	$\frac{5}{8}$ "	1 70
20	$1\frac{3}{8}$ "	115 "	$3\frac{1}{2}$ "	$\frac{5}{8}$ "	2 25
21	$1\frac{1}{2}$ "	130 "	$3\frac{5}{8}$ "	$\frac{5}{8}$ "	2 50
22	$1\frac{5}{8}$ "	145 "	$3\frac{3}{4}$ "	$\frac{5}{8}$ "	2 75
24	$1\frac{5}{8}$ "	150 "	4 "	$\frac{5}{8}$ "	3 25

DEEP AND WIDE SOCKETS, DOUBLE STRENGTH

Calibre	Thick- ness	Weight per foot	Depth of Sockets	Annular Space	Price per Foot
15	$1\frac{1}{4}$ in.	75 lbs.	3 in.	$\frac{5}{8}$ in.	\$1 35
18	$1\frac{1}{2}$ "	118 "	$3\frac{1}{4}$ "	$\frac{5}{8}$ "	1 70
20	$1\frac{2}{3}$ "	138 "	$3\frac{1}{2}$ "	$\frac{5}{8}$ "	2 25
21	$1\frac{3}{4}$ "	148 "	$3\frac{5}{8}$ "	$\frac{5}{8}$ "	2 50
22	$1\frac{5}{6}$ "	157 "	$3\frac{3}{4}$ "	$\frac{5}{8}$ "	2 75
24	2 "	190 "	4 "	$\frac{5}{8}$ "	3 25

The list price of Fittings is the same as on Standard Pipe and Fittings.

SEWER PIPE AND FITTINGS



Channel Pipe



Ring Pipe and Rings



Socket Pipe



T Branch



V Branch



Y Branch



Increaser



Double T



Reducer



Double Y

SEWER PIPE AND FITTINGS




S Trap



P Trap



Running Trap



Well Trap



Double H.H. Trap



Single H. H. Trap



Half Trap



Half Trap

SEWER PIPE AND FITTINGS



1 Ft. Slant



2 Ft. Slant



Cut Elbow



Cut Curve



Elbow



Square Elbow



$\frac{1}{8}$ Bend, 1 foot long



$\frac{1}{8}$ Bend, 2 feet long

Cellar Traps, Each

9 x 4 with bottom	\$6 00
Without bottom.....	5 00
12 x 4 with bottom	9 00
Without bottom.....	6 00

Slop and Closet Bowls, Each

With or Without Strainers

12 x 6	\$3 50
12 x 4	3 50
15 x 6	5 00
15 x 4	5 00

SEWER PIPE AND FITTINGS



Grease Trap



Cellar Trap



Slop Bowl



Closet Bowl

FIRE CLAY STOVE PIPE FITTINGS



Mandary Top
Female



O. G. Bonnet



Mandary Top
Male



Bird Cage Wind-
Guard. Male



Anchor Bonnet



Bird Cage Wind-
Guard. Female



Bottoms



Chimney Base



Plain Stove Pipe



Single Opening



Drop Bottom
12



Double Opening

PRICE LIST OF FIRE CLAY STOVE PIPE AND FITTINGS

Calibre Inside	Plain per foot	Bonnets 2 feet long each	Bottoms 2 ft. long, each	Openings single, 2 ft. long, each	Openings Double, 2 ft. long, each	Openings single, closed ends, 2 feet long, each	Drop Bottoms, 3 feet long, each	Elbows, each	Mandary Tops, each	Windguard Bonnets, Without Hoods, each
5 inch.....	\$ 35	\$1 40	\$ 1 05	\$ 1 05	\$ 1 40	\$1 40	\$2 10	\$ 1 40		\$1 40
6 ".....	40	1 60	1 20	1 20	1 60	1 60	2 40	1 60	\$2 50	1 60
7 ".....	50	2 00	1 50	1 50	2 00	2 00	3 00	2 00	3 00	2 00
8 ".....	60	2 40	1 80	1 80	2 40	2 40	3 60	2 40	3 60	2 40
9 ".....	70	2 80	2 10	2 10	2 80	2 80	4 20	2 80		
10 ".....	85	3 40	2 55	2 55	3 40	3 40	5 10	3 40		
12 ".....	1 10	4 40	3 30	3 30	4 40	4 40	6 60	4 40		
15 ".....	1 50		4 50	4 50	6 00			6 00		
18 ".....	1 80		5 40	5 40	7 20			7 20		
20 ".....	2 50		7 50	7 50	10 00			10 00		
21 ".....	2 75		8 25	8 25	11 00					
22 ".....	3 00		9 00	9 00	12 00					
24 ".....	3 50		10 50	10 50	14 00					
27 ".....	4 25			12 75	17 00					
30 ".....	5 50			16 50	22 00					
33 ".....	6 25			18 75	25 00					
36 ".....	7 00			21 00	28 00					

Additional lengths charged in proportion. Bottoms, closed Ends or Flanges added, each to be charged one foot of Pipe of the same size. Chimney Bases 18 inches high or under, to be the price of 5 feet of Pipe of size of Bowl; over 18 inches in height, the additional length to be charged.

Fifty per cent. additional to be charged for Hooded Windguard Bonnets.

Discounts governing prices on 5 in. to 24 in. inclusive will not apply to 27 in. to 36 in. inclusive.

FIRE CLAY FLUE LINING



Opening, Round Corners



Register Opening, Round
Corners



Thimble



Plain, Round Corners



Round Flue Lining

Approximate Weights, Dimensions, Etc.

FIRE CLAY FLUE LININGS

Square or Round Corners

In 2 ft. Lengths—Outside Measure. Per Foot

4½ x 8½ in	14 lbs.	\$0 30	per foot
4½ x 13 in	20 "	45	"
4½ x 18 in	40 "	1 00	"
6 x 12 in	22 "	50	"
7 x 7 in	15 "	35	"
8½ x 8½ in	18 "	45	"
8½ x 13 in	28 "	65	"
8½ x 18 in	45 "	90	"
12 x 16 in	45 "	1 00	"
13 x 13 in	38 "	85	"
13 x 18 in	57 "	1 20	"
14 x 16 in	60 "	1 10	"
16 x 16 in	65 "	1 60	"
16 x 20 in	80 "	2 00	"
18 x 18 in	75 "	2 00	"

Openings and Registers, 50 per cent. added

FIRE CLAY STOVE THIMBLES

PRICE EACH

Length in inches

Calibre	4½	6	8	10	12
4	\$0 17	\$0 22			
5	20	25	\$0 35	\$0 40	\$0 45
6	25	35	40	45	50
7	30	40	45	50	60
8	35	45	55	60	70
9	40	50	60	70	80
10	45	55	65	75	85
12	55	65	75	85	1 00

Made ¼ in. larger than measure to receive stove pipe.

ROUND FLUES

WITHOUT SOCKETS

Inside Meas.	Price per ft.	Inside Meas.	Price per ft.
6 inch	\$0 30	20 inch	\$2 25
7 "	38	21 "	2 50
8 "	45	22 "	2 75
9 "	55	24 "	3 25
10 "	65	27 "	4 25
12 "	85	30 "	5 50
15 "	1 25	33 "	6 25
18 "	1 70	36 "	7 00

Openings four times price of one foot straight pipe

CHIMNEY TOPS



Nos. 1, 2, 3



Nos. 7, 8, 9



Nos. 4, 5, 6



Nos. 10, 11, 12



Nos. 16, 17



Nos. 13, 14, 15

CHIMNEY TOPS



Nos. 19 and 20



No. 22



Nos. 22½, 23, 24



Nos. 25 and 26



No. 21



Nos. 29 and 30

PRICE LIST—CHIMNEY TOPS

No.	Height	Shaft	BASE		Price
			Kind	Size	
1	2 ft.	Round	Round	13 in.	\$2 25
2	2 1/2 "	"	"	13 "	2 75
3	3 "	"	"	13 "	3 50
4	2 "	"	Square	13 x 13 "	2 25
5	2 1/2 "	"	"	13 x 13 "	2 75
6	3 "	"	"	13 x 13 "	3 50
7	2 "	Octagon	"	13 x 13 "	2 25
8	2 1/2 "	"	"	13 x 13 "	2 75
9	3 "	"	"	13 x 13 "	3 25
10	2 "	"	Octagon	13 "	2 00
11	2 1/2 "	"	"	13 "	2 50
12	3 "	"	"	13 "	3 25
13	2 "	Paneled	Square	13 x 13 "	2 25
14	2 1/2 "	"	"	13 x 13 "	2 75
15	3 "	"	"	13 x 13 "	3 50
16	2 1/2 "	Octagon	"	13 x 13 "	3 25
17	3 "	"	"	13 x 13 "	4 00
19	2 1/2 "	Obl. Sq.	Obl. Sq.	12 x 16 "	2 75
20	3 "	"	"	12 x 16 "	3 25
21	2 "	Cone	Square	13 x 13 "	2 00
22	2 "	Round	Round	10 "	2 00
22 1/2	2 1/2 "	"	Square	13 x 13 "	3 75
23	3 "	"	"	13 x 13 "	4 25
24	3 1/2 "	"	"	13 x 13 "	5 00
25	3 "	"	"	13 x 13 "	5 75
26	3 1/2 "	"	"	13 x 13 "	6 50
29	3 "	Octagon	"	13 x 13 "	5 75
30	3 1/2 "	"	"	13 x 13 "	6 50

IMPERMEABLE VITRIFIED WALL COPING

PRICE LIST

Width	Per Foot	Corners Each	Angles Each	Closed Ends Each	Weight per Foot
For { 8 } Wall	\$0 35	\$1 05	\$1 05	\$1 05	11 lbs.
“ { 9 } “	55	1 65	1 65	1 65	16 “
“ { 12 } “					
“ { 13 } “					
“ 18 “	1 00	3 00	3 00	3 00	32 “

The regular length is two feet. We make and carry in stock various lengths, viz: 4, 6, 8, 12, 16 and 18 inches, and 8, 9, 12, 13 and 18 inches in width, with starters, corners, angles, etc., which enables us to cover any length of wall.

If you do not carry in stock all sizes, please state the lengths wanted, or send us an exact drawing of wall to be covered, and we will send proper size.

This coping being salt glazed and vitrified, makes superior and more lasting covering for exposed walls than any other material now in use.




WALL COPING

VITRIFIED ROUND DRAIN TILE

Size	List Price per 1,000 Feet	Y's, T's, Ell's and Curves, each	Weight per Foot	Length per piece
2 inch	\$ 12 00	\$0 05	3½ lbs.	1 ft.
2½ "	15 00	05	4 "	1 "
3 "	20 00	10	5 "	1 "
4 "	30 00	10	7½ "	1 "
5 "	40 00	15	10 "	1 "
6 "	55 00	20	13 "	1 "
8 "	90 00	30	20 "	2 "
10 "	135 00	50	30 "	2 "
12 "	180 00	75	40 "	2 "

Rings for Drain Tile 50 per cent. of one foot of Tile



Impermeable Vitrified Building Blocks

Size, 8 x 8 x 16.	Weight, 34 lbs.
" 8 x 10 x 16.	" 50 "
" 8 x 12 x 16.	" 54 "

CORNER BLOCKS

Same price as Plain Blocks

Bow Window Blocks three times price of Plain Blocks

Each Block or Corner Will Make 144 Sq. In. When
Laid In Wall

PORTER VITRIFIED PAVING BRICK AND BLOCK

Oldest and Best for Streets, Railways
and Sidewalks.

STANDARD

$8\frac{1}{2} \times 2\frac{1}{2} \times 4\frac{1}{8}$. Weight, 7 lbs.

ROUND EDGE REPRESS

$8\frac{1}{2} \times 2\frac{5}{8} \times 4$. Weight, 7 lbs.

REPRESS BLOCK

$9\frac{1}{4} \times 3\frac{1}{4} \times 4$. Weight, 9 lbs.

FIRE BRICK

Standard Wire Cut Fire Brick,
Fire Clay,

Hand-Made Fire Brick,

Boiler Tile,

Grate Tile.

DRIP STONES



Size 5 x 12 x 12

Weight 45 pounds



HEXAGON GUTTER TILE

Size $3\frac{1}{4}$ x 11 x 12
Weight 23 pounds





GUTTER TILE

Size 5 x 8 x 12
Weight 20 pounds


HORSE TROUGHS

Outside Size, 16 x 20 x 8 Deep. \$5.00 each.
Weight, 77 lbs.

INVERT BLOCKS



Double Ring
Weight 45 pounds
per foot



Single Ring
Weight, 25 pounds
per foot

For Bottom of Brick Sewers
Write for prices and specifications.

The Werner Company, Akron, O., and Pittsburgh, Pa.



Location of Factories

American Sewer Pipe Company

Akron,	.	.	.	.	Ohio
Toronto,	.	.	.	.	"
Barberton,	.	.	.	.	"
Calumet,	.	.	.	.	"
Empire,	.	.	.	.	"
Wellsville,	.	.	.	.	"
Uhrichsville,	.	.	.	.	"
East Liverpool,	.	.	.	.	"
Markle,	.	.	.	.	"
Freeman,	.	.	.	.	"
Lisbon,	.	.	.	.	"
New Brighton,	.	.	.	.	Pa.
Grand Ledge,	.	.	.	.	Mich.
Jackson,	.	.	.	.	"
New Cumberland,	.	.	.	.	W. Va.
Brazil,	.	.	.	.	Ind.